



Report No. A2230377936102R1

Page 1 of 13

<b>Company Name</b>	DONGGUAN AILLEN ELECTRONIC TECHNOLOGY CO., LTD.
shown on Report	
Address	NO.28, JINGGANG ZHONG ROAD, SHATIAN TOWN, DONGGUAN CITY,
	GUANGDONG PROVINCE, P. R. CHINA

The following sample(s) and s the applicant	ample information was/were submitted and identified by/on the behalf of
Sample Name	Film Capacitor(Boxed)
Sample Received Date	Jul. 19, 2023
Testing Period	Jul. 31, 2023 to Aug. 4, 2023
Test Requested	As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP) in the submitted sample(s).
Test Method/Test Result(s)	Please refer to the following page(s).

flill Then Hill Zheng Technical Manager 用貢 Testing International Group Co., Ltd.

Date

Aug. 11, 2023

No. R179751873

CTI Building, King Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China



Report No.
A2230377936102R1
Page 2 of 13 **Conclusion**Tested Sample
According to standard/directive
Result

Submitted Sample
RoHS Directive 2011/65/EU with amendment (EU) 2015/863
PASS

PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.



Report No. A2230377936102R1

Page 3 of 13

#### Test Method

Tested Item(s)	Test Method	Measured Equipment(s)
Lead (Pb)	IEC 62321-5:2013	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
	IEC 62321-7-1:2015	UV-Vis
Hexavalent Chromium (Cr(VI))	IEC 62321-7-2:2017 and/or determination of	UV-Vis/ICP-OES
	Total Chromium by IEC 62321-5:2013	UV-VIS/ICP-OES
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS
Polybrominated Diphenyl Ethers	IEC 62321-6:2015	GC-MS
(PBDEs)	IEC 02521-0:2015	GC-MS
Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS





Report No. A2230377936102R1

Page 4 of 13

#### Test Result(s)

Tested Item(s)	Re	MDL	Limit	
	1	2		Linnt
Lead (Pb)	11 mg/kg	12 mg/kg	2 mg/kg	1000 mg/kg
Cadmium (Cd)	N.D.	N.D.	2 mg/kg	100 mg/kg
Mercury (Hg)	N.D.	N.D.	2 mg/kg	1000 mg/kg
Havevalant Chromium	N.D.	N.D.	8 mg/kg	1000 mg/kg
Hexavalent Chromium (Cr(VI))			0.10 μg/cm <sup>2</sup> (LOQ)	1000 mg/kg

Tested Item(s)	Res	MDL	Limit	
	3	4	MIDL	Linnt
Lead (Pb)	N.D.	N.D.	2 mg/kg	1000 mg/kg
Cadmium (Cd)	N.D.	N.D.	2 mg/kg	100 mg/kg
Mercury (Hg)	N.D.	N.D.	2 mg/kg	1000 mg/kg
Hexavalent Chromium	N.D.	N.D.	8 mg/kg	1000 mg/kg
(Cr(VI))			0.10 μg/cm <sup>2</sup> (LOQ)	1000 mg/kg

Tested Item(s)	Re	MDL	Limit	
	5	6	MDL	Linnt
Lead (Pb)	20 mg/kg	N.D.	2 mg/kg	1000 mg/kg
Cadmium (Cd)	N.D.	N.D.	2 mg/kg	100 mg/kg
Mercury (Hg)	N.D.	N.D.	2 mg/kg	1000 mg/kg
Hexavalent Chromium			8 mg/kg	1000 mg/kg
(Cr(VI))	N.D.♥	N.D. <sup>♥</sup>	0.10 μg/cm <sup>2</sup> (LOQ)	1000 mg/kg

## **Test Report**

Report No. A2230377936102R1

Tested Item(s)	Result		MDL	Limit
	1	2	MDL	LIIIII
Polybrominated Biphenyls	(PBBs)			
Monobromobiphenyl	N.D.	N.D.	5 mg/kg	
Dibromobiphenyl	N.D.	N.D.	5 mg/kg	
Tribromobiphenyl	N.D.	N.D.	5 mg/kg	
Tetrabromobiphenyl	N.D.	N.D.	5 mg/kg	
Pentabromobiphenyl	N.D.	N.D.	5 mg/kg	1000
Hexabromobiphenyl	N.D.	N.D.	5 mg/kg	mg/kg
Heptabromobiphenyl	N.D.	N.D.	5 mg/kg	
Octabromobiphenyl	N.D.	N.D.	5 mg/kg	
Nonabromobiphenyl	N.D.	N.D.	5 mg/kg	
Decabromobiphenyl	N.D.	N.D.	5 mg/kg	

Tested Item(s)	Re	sult	MDL	Limit
restru rum(s)	3	4		Linnt
Polybrominated Biphenyls (l	PBBs)			
Monobromobiphenyl	N.D.	N.D.	5 mg/kg	
Dibromobiphenyl	N.D.	N.D.	5 mg/kg	
Tribromobiphenyl	N.D.	N.D.	5 mg/kg	
Tetrabromobiphenyl	N.D.	N.D.	5 mg/kg	
Pentabromobiphenyl	N.D.	N.D.	5 mg/kg	1000
Hexabromobiphenyl	N.D.	N.D.	5 mg/kg	mg/kg
Heptabromobiphenyl	N.D.	N.D.	5 mg/kg	
Octabromobiphenyl	N.D.	N.D.	5 mg/kg	
Nonabromobiphenyl	N.D.	N.D.	5 mg/kg	
Decabromobiphenyl	N.D.	N.D.	5 mg/kg	

Page 5 of 13

## **Test Report**

Report No. A2230377936102R1

Tootod Itom(a)	Result		MDL	Limit
Tested Item(s)	5	6	MDL	Linnt
Polybrominated Biphenyls (PBBs	5) *			
Monobromobiphenyl	N.D.	N.D.	5 mg/kg	
Dibromobiphenyl	N.D.	N.D.	5 mg/kg	
Tribromobiphenyl	N.D.	N.D.	5 mg/kg	
Tetrabromobiphenyl	N.D.	N.D.	5 mg/kg	
Pentabromobiphenyl	N.D.	N.D.	5 mg/kg	1000
Hexabromobiphenyl	N.D.	N.D.	5 mg/kg	1000 mg/kg
Heptabromobiphenyl	N.D.	N.D.	5 mg/kg	
Octabromobiphenyl	N.D.	N.D.	5 mg/kg	
Nonabromobiphenyl	N.D.	N.D.	5 mg/kg	]
Decabromobiphenyl	N.D.	N.D.	5 mg/kg	]

Tested Item(s)	Result		MDL	Limit
	1	2		Linnt
Polybrominated Diphenyl Ethers	(PBDEs)			
Monobromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Dibromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tribromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tetrabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Pentabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000 mg/kg
Hexabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000 mg/kg
Heptabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Octabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Nonabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Decabromodiphenyl ether	N.D.	N.D.	5 mg/kg	

Page 6 of 13

## **Test Report**

Report No. A2230377936102R1

Tested Item(s)	Result		MDL	Limit
Testeu Item(s)	3	4		Linnt
Polybrominated Diphenyl Ethers	s (PBDEs)			
Monobromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Dibromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tribromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tetrabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Pentabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000
Hexabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000 mg/kg
Heptabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Octabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Nonabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Decabromodiphenyl ether	N.D.	N.D.	5 mg/kg	

Tested Item(s)	Result		MDL	Limit
Tested Item(s)	5	6		Linnt
Polybrominated Diphenyl Ethers	(PBDEs) *		-	
Monobromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Dibromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tribromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Tetrabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Pentabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000 mg/kg
Hexabromodiphenyl ether	N.D.	N.D.	5 mg/kg	1000 mg/kg
Heptabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Octabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Nonabromodiphenyl ether	N.D.	N.D.	5 mg/kg	
Decabromodiphenyl ether	N.D.	N.D.	5 mg/kg	

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com

Report No. A2230377936102R1

Tested Item(s)	Result		MDL	Limit			
	1	2	WIDL	Liiiiit			
Phthalates (DBP, BBP, DEHP, DIBP)							
Dibutyl phthalate (DBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:84-74-2							
Butyl benzyl phthalate (BBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:85-68-7							
Di-(2-ethylhexyl) phthalate	N.D.	N.D.	50 mg/kg	1000 mg/kg			
(DEHP) CAS#:117-81-7							
Diisobutyl phthalate (DIBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:84-69-5							

Tested Item(s)	Result		MDL	Limit			
	3	4		Linnt			
Phthalates (DBP, BBP, DEHP, DIBP)							
Dibutyl phthalate (DBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:84-74-2	N.D.	N.D.	50 mg/kg	1000 mg/kg			
Butyl benzyl phthalate (BBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:85-68-7	N.D.	N.D.	50 mg/kg	1000 mg/kg			
Di-(2-ethylhexyl) phthalate	N.D.	N.D.	50 mg/kg	1000 mg/kg			
(DEHP) CAS#:117-81-7	N.D.	N.D.	JU mg/kg	1000 mg/kg			
Diisobutyl phthalate (DIBP)	N.D.	N.D.	50 mg/kg	1000  mg/kg			
CAS#:84-69-5	IN.D.	IN.D.	50 mg/kg	1000 mg/kg			

Tested Item(s)	Result		MDL	Limit			
	5	6		Linnt			
Phthalates (DBP, BBP, DEHP, DIBP) *							
Dibutyl phthalate (DBP)	N.D.	N.D.	50 mg/kg	1000 mg/kg			
CAS#:84-74-2	N.D.	N.D.	50 mg/kg	1000 mg/kg			
Butyl benzyl phthalate (BBP)	N.D.	N.D.	50 m a/la	1000 m a/ka			
CAS#:85-68-7	N.D.	N.D.	50 mg/kg	1000 mg/kg			
Di-(2-ethylhexyl) phthalate	N.D.	N.D.	50 m a /li a	1000 m a/lta			
(DEHP) CAS#:117-81-7	N.D.	N.D.	50 mg/kg	1000 mg/kg			
Diisobutyl phthalate (DIBP)	ND	ND	50 m a /l. a	1000 m a/lta			
CAS#:84-69-5	N.D.	N.D.	50 mg/kg	1000 mg/kg			

Page 8 of 13

## **Test Report**

Report No. A2230377936102R1

#### Sample/Part Description

#### Sample No. Description

- 1 Yellow plastic with black printing
- 2 Yellow glue
- 3 Transparent film
- 4 Silvery film
- 5 Silvery metal solder
- 6 Silvery metal pin

#### Remark: The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL or LOQ)

-mg/kg = ppm = parts per million

-1000 mg/kg = 0.1%

-LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10  $\mu$ g/cm<sup>2</sup>

- The sample is negative for Cr(VI) – The Cr(VI) concentration is below 0.10 µg/cm<sup>2</sup>. The coating is considered a non-Cr(VI) based coating.

-The test result(s) (except for Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP) of sample 5&6) is(are) presented in reference to the result(s) that reported in A2230355012102.

#### Note: -\*Indicates the item(s)/method(s) is (are) not in CNAS accreditation scope.


-This testing report revised the full text based on the original report of No. A2230377936102. This testing report displaces the original one which was invalid since the date of this testing report released.




Report No. A2230377936102R1

#### Test Process

#### 1. Lead (Pb), Cadmium (Cd), Chromium(Cr)





#### 2. Mercury (Hg)



### 3. Hexavalent Chromium (Cr(VI))

#### (1) IEC 62321-7-1:2015






Page 10 of 13



Report No. A2230377936102R1

Page 11 of 13

#### 4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)





Report No.


## **Test Report**


Page 12 of 13

Photo(s) of the sample(s)

Final Product

A2230377936102R1





3









5








Report No. A2230377936102R1

Page 13 of 13



Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. The Company Name shown on Report and Address, the sample(s) and sample information was/were
- provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

\*\*\* End of Report \*\*\*