


**WT Series**

- 105°C 2000hours Screw type
- 105°C standard purpose product
- RoHS Requirements

**Specification**

Item	Characteristics					
Rated Voltage Range	10~100V			160~500V		
Operating Temperature Range	-40~+105°C			-25~+105°C		
Capacitance Tolerance	±20% (M)					
Leakage Current(20°C)	I≤0.02CVμA or 5mA, whichever is smaller After 5 minutes at 20°C application of rated voltage, C: Nominal Capacitance (μF) V: Rated Voltage (V)					
Dissipation Factor (20°C,120Hz)	Less than values shown in the standard ratings					
Low Temperature Stability	Rated Voltage (V)	10~100	160~500			
	Z-25°C/Z+20°C (120Hz)	/	8			
	Z-40°C/Z+20°C (120Hz)	15	/			
Load Life	The capacitor is stored at a temperature of 105±2°C with DC bias voltage plus the rated ripple current for 2000+48/0 hours. (The sum of DC and ripple peak voltage shall not exceed the rated working voltage) Then the product should be tested after 16 hours recovering time at atmospheric conditions. The result should meet the following table:					
	Capacitance Change	Within ±20% of initial value				
	Dissipation Factor	Not more than 200% of the specified value				
	Leakage Current	Not more than the specified value				
Shelf Life	The capacitors are then stored with no voltage applied at a temperature of 105±2°C for 1000+48/0 hours. Next they shall be connected to a series limiting resistor(1k±100Ω) with D.C. rated voltage applied for 60min, After which the capacitors shall be stored at room temperature for more than 24 hours before testing,The result should meet the following table:					
	Capacitance Change	Within ±20% of initial value				
	Dissipation Factor	Not more than 175% of the specified value				
	Leakage Current	Not more than the specified value				
Ripple Current Coefficient	Freq.(Hz)	50/60	120	300	1K	≥10K
	≤100V	0.95	1.00	1.04	1.10	1.15
	100V<V≤250V	0.95	1.00	1.08	1.15	1.20
	250V<V≤500V	0.80	1.00	1.18	1.35	1.40
	Ambient Temp(°C)	40	55	70	85	105
	WV					
	≤100V	4.90	3.90	3.00	1.80	1.00
100V<V≤250V	3.80	3.30	2.50	2.00	1.00	
250V<V≤500V	2.44	2.28	2.12	2.00	1.00	

**Part Number System:**




**Dimensions:**


Unit: mm

O Type Terminal	D Type Terminal	T Type Terminal	Sample	Screw type Ring clip mounting
I Type (2-legs Bracket)	Y Type (3-legs Bracket)			Screw type Threaded stud mounting

## Screw type Threaded stud mounting



## Screw type Ring clip mounting



Terminal	D $\pm$ 2	L $\pm$ 3	L $1\pm$ 3	D $1\pm$ 0.3	A $\pm$ 0.5	L $2\pm$ 1	D2	Min. Full Thread (mm)	Terminal type
M5	35	50~120	56.5~126.5	8	12.7	12	M8	8	O Type
M5	51	50~140	56.5~126.5	10	22	16	M8	8	O Type
M5	63.5	80~140	86.5~146.5	10	28.6	16	M8	8	O Type
M5	76	100~240	106.5~246.5	10	31.8	16	M12	12	O Type
M5	90	100~240	106.5~246.5	10	31.8	16	M12	12	O Type
M5	76	100~240	106.5~246.5	17.2	31.8	16	M12	12	D Type
M5	90	100~240	106.5~246.5	17.2	31.8	16	M12	12	D Type
M6	76	100~240	106.5~246.5	17.2	31.8	16	M12	12	D Type
M6	90	100~240	106.5~246.5	17.2	31.8	16	M12	12	D Type
M5	51	50~140	55.5~125.5	13(a=10)	28.6	16	M8	8	T Type
M5	63.5	80~140	86.5~146.5	15(a=10)	31.8	16	M12	12	T Type
M6	76	100~240	106.5~246.5	15(a=10)	31.8	16	M12	12	T Type

## Specification Sheet

Rated voltage(V)	Capacitance ( $\mu$ F)	Case Size DxL(mm)	$\tan \delta$ (120Hz, +20°C)	Leakage Current ( $\mu$ A)max	Ripple Current +105°C 120Hz (A rms)	P/N
10	27000	35x50	0.45	5,000.00	4.90	CCE279M1ARWTQ50**
10	33000	35x50	0.50	5,000.00	5.10	CCE339M1ARWTQ50**
10	39000	35x60	0.50	5,000.00	5.90	CCE399M1ARWTQ60**
10	47000	35x80	0.50	5,000.00	7.10	CCE479M1ARWTQ80**
10	56000	35x80	0.60	5,000.00	7.10	CCE569M1ARWTQ80**
10	68000	35x100	0.60	5,000.00	8.50	CCE689M1ARWTQ1L**
10	82000	35x100	0.65	5,000.00	8.90	CCE829M1ARWTQ1L**
10	100000	35x120	0.65	5,000.00	10.70	CCE10AM1ARWTA2**
10	120000	51x80	0.75	5,000.00	11.00	CCE12AM1ARWTS80**
10	150000	51x100	0.80	5,000.00	13.20	CCE15AM1ARWTS1L**
10	180000	51x120	0.80	5,000.00	15.70	CCE18AM1ARWTA2**
10	220000	51x120	0.85	5,000.00	16.80	CCE22AM1ARWTA2**
10	270000	63.5x120	1.00	5,000.00	19.60	CCE27AM1ARWTTA2**
10	330000	63.5x120	1.20	5,000.00	19.70	CCE33AM1ARWTTA2**
10	390000	76x120	1.50	5,000.00	21.30	CCE39AM1ARWTUA2**
10	470000	76x120	1.80	5,000.00	21.40	CCE47AM1ARWTUA2**
10	560000	76x140	2.00	5,000.00	23.60	CCE56AM1ARWTUA4**
10	680000	90x140	2.40	5,000.00	26.00	CCE68AM1ARWTA4**
16	18000	35x50	0.40	5,000.00	4.20	CCE189M1CRWTQ50**
16	22000	35x50	0.40	5,000.00	4.70	CCE229M1CRWTQ50**
16	27000	35x60	0.40	5,000.00	5.50	CCE279M1CRWTQ60**
16	33000	35x60	0.45	5,000.00	5.70	CCE339M1CRWTQ60**
16	39000	35x80	0.45	5,000.00	6.80	CCE399M1CRWTQ80**
16	47000	35x80	0.50	5,000.00	7.10	CCE479M1CRWTQ80**
16	56000	35x100	0.50	5,000.00	8.40	CCE569M1CRWTQ1L**
16	68000	35x100	0.55	5,000.00	8.80	CCE689M1CRWTQ1L**
16	82000	51x80	0.55	5,000.00	10.70	CCE829M1CRWTS80**
16	100000	51x80	0.65	5,000.00	10.80	CCE10AM1CRWTS80**
16	120000	51x100	0.65	5,000.00	13.10	CCE12AM1CRWTS1L**
16	150000	51x120	0.70	5,000.00	15.30	CCE15AM1CRWTA2**
16	180000	51x120	0.80	5,000.00	15.70	CCE18AM1CRWTA2**
16	220000	63.5x120	0.85	5,000.00	19.20	CCE22AM1CRWTTA2**
16	270000	63.5x120	1.00	5,000.00	19.60	CCE27AM1CRWTTA2**
16	330000	76x120	1.30	5,000.00	21.10	CCE33AM1CRWTUA2**
16	390000	76x120	1.50	5,000.00	21.30	CCE39AM1CRWTUA2**
16	470000	76x140	1.60	5,000.00	24.20	CCE47AM1CRWTUA4**
16	560000	90x140	2.00	5,000.00	28.10	CCE56AM1CRWTA4**

16	680000	90x140	2.40	5,000.00	28.50	CCE68AM1CRWTXA4**
25	12000	35x50	0.35	5,000.00	3.70	CCE129M1ERWTQ50**
25	15000	35x50	0.35	5,000.00	4.10	CCE159M1ERWTQ50**
25	18000	35x60	0.35	5,000.00	4.80	CCE189M1ERWTQ60**
25	22000	35x60	0.35	5,000.00	5.30	CCE229M1ERWTQ60**
25	27000	35x80	0.35	5,000.00	6.40	CCE279M1ERWTQ80**
25	33000	35x80	0.40	5,000.00	6.70	CCE339M1ERWTQ80**
25	39000	35x100	0.40	5,000.00	7.80	CCE399M1ERWTQ1L**
25	47000	35x120	0.40	5,000.00	9.30	CCE479M1ERWTQA2**
25	56000	51x80	0.45	5,000.00	9.70	CCE569M1ERWTS80**
25	68000	51x100	0.45	5,000.00	11.20	CCE689M1ERWTS1L**
25	82000	51x100	0.50	5,000.00	11.80	CCE829M1ERWTS1L**
25	100000	51x120	0.50	5,000.00	14.80	CCE10AM1ERWTS2**
25	120000	63.5x100	0.65	5,000.00	14.90	CCE12AM1ERWTT1L**
25	150000	63.5x120	0.65	5,000.00	17.90	CCE15AM1ERWTTA2**
25	180000	63.5x120	0.80	5,000.00	18.20	CCE18AM1ERWTTA2**
25	220000	76x120	0.85	5,000.00	21.30	CCE22AM1ERWTUA2**
25	270000	76x120	1.00	5,000.00	21.70	CCE27AM1ERWTUA2**
25	330000	76x140	1.20	5,000.00	23.40	CCE33AM1ERWTUA4**
25	390000	90x140	1.50	5,000.00	24.90	CCE39AM1ERWTXA4**
35	8200	35x50	0.30	5,000.00	3.30	CCE828M1VRWTQ50**
35	10000	35x50	0.30	5,000.00	3.60	CCE109M1VRWTQ50**
35	12000	35x60	0.30	5,000.00	4.20	CCE129M1VRWTQ60**
35	15000	35x60	0.30	5,000.00	4.70	CCE159M1VRWTQ60**
35	18000	35x80	0.30	5,000.00	5.70	CCE189M1VRWTQ80**
35	22000	35x80	0.30	5,000.00	6.30	CCE229M1VRWTQ80**
35	27000	35x100	0.30	5,000.00	7.50	CCE279M1VRWTQ1L**
35	33000	35x120	0.30	5,000.00	9.00	CCE339M1VRWTQA2**
35	39000	51x80	0.35	5,000.00	9.20	CCE399M1VRWTS80**
35	47000	51x100	0.35	5,000.00	11.20	CCE479M1VRWTS1L**
35	56000	51x100	0.40	5,000.00	11.40	CCE569M1VRWTS1L**
35	68000	51x120	0.40	5,000.00	13.60	CCE689M1VRWTS2**
35	82000	63.5x100	0.45	5,000.00	14.80	CCE829M1VRWTT1L**
35	100000	63.5x120	0.45	5,000.00	17.60	CCE10AM1VRWTTA2**
35	120000	63.5x120	0.55	5,000.00	17.90	CCE12AM1VRWTTA2**
35	150000	76x120	0.65	5,000.00	19.80	CCE15AM1VRWTUA2**
35	180000	76x120	0.80	5,000.00	20.00	CCE18AM1VRWTUA2**
35	220000	76x140	0.80	5,000.00	23.40	CCE22AM1VRWTUA4**
35	270000	90x140	1.00	5,000.00	25.50	CCE27AM1VRWTXA4**
50	3900	35x50	0.20	3,900.00	2.80	CCE398M1HRWTQ50**
50	4700	35x50	0.20	4,700.00	3.10	CCE478M1HRWTQ50**
50	5600	35x50	0.20	5,000.00	3.30	CCE568M1HRWTQ50**
50	6800	35x50	0.25	5,000.00	3.40	CCE688M1HRWTQ50**
50	8200	35x60	0.25	5,000.00	3.80	CCE828M1HRWTQ60**
50	10000	35x80	0.25	5,000.00	4.60	CCE109M1HRWTQ80**
50	12000	35x80	0.25	5,000.00	5.10	CCE129M1HRWTQ80**
50	15000	35x80	0.25	5,000.00	5.70	CCE159M1HRWTQ80**
50	18000	35x100	0.25	5,000.00	6.70	CCE189M1HRWTQ1L**
50	22000	35x120	0.25	5,000.00	8.10	CCE229M1HRWTQA2**
50	27000	51x80	0.25	5,000.00	9.10	CCE279M1HRWTS80**
50	33000	51x100	0.25	5,000.00	11.10	CCE339M1HRWTS1L**
50	39000	51x120	0.25	5,000.00	13.10	CCE399M1HRWTS2**
50	47000	51x120	0.30	5,000.00	13.90	CCE479M1HRWTS2**
50	56000	63.5x100	0.35	5,000.00	13.90	CCE569M1HRWTT1L**
50	68000	63.5x120	0.35	5,000.00	16.60	CCE689M1HRWTTA2**
50	82000	76x120	0.40	5,000.00	18.90	CCE829M1HRWTUA2**
50	100000	76x120	0.45	5,000.00	19.50	CCE10AM1HRWTUA2**
50	120000	76x120	0.55	5,000.00	19.80	CCE12AM1HRWTUA2**
50	150000	90x140	0.60	5,000.00	23.90	CCE15AM1HRWTXA4**
50	180000	90x140	0.75	5,000.00	24.00	CCE18AM1HRWTXA4**
63	2700	35x50	0.20	3,402.00	2.30	CCE278M1JRWWTQ50**
63	3300	35x50	0.20	4,158.00	2.50	CCE338M1JRWWTQ50**
63	3900	35x50	0.20	4,914.00	2.80	CCE398M1JRWWTQ50**
63	4700	35x50	0.20	5,000.00	3.10	CCE478M1JRWWTQ50**
63	5600	35x60	0.20	5,000.00	3.50	CCE568M1JRWWTQ60**
63	6800	35x60	0.20	5,000.00	3.90	CCE688M1JRWWTQ60**

63	8200	35x80	0.20	5,000.00	4.70	CCE828M1JRWTO80**
63	10000	35x80	0.25	5,000.00	4.75	CCE109M1JRWTO80**
63	12000	35x100	0.25	5,000.00	5.50	CCE129M1JRWTO1L**
63	15000	35x120	0.25	5,000.00	6.60	CCE159M1JRWTOA2**
63	18000	51x80	0.25	5,000.00	7.40	CCE189M1JRWTS80**
63	22000	51x100	0.25	5,000.00	9.00	CCE229M1JRWTS1L**
63	27000	51x120	0.25	5,000.00	10.90	CCE279M1JRWTA2**
63	33000	51x120	0.25	5,000.00	12.00	CCE339M1JRWTA2**
63	39000	63.5x100	0.30	5,000.00	12.50	CCE399M1JRWTT1L**
63	47000	63.5x120	0.30	5,000.00	14.90	CCE479M1JRWTTA2**
63	56000	63.5x120	0.30	5,000.00	16.30	CCE569M1JRWTTA2**
63	68000	76x120	0.35	5,000.00	18.40	CCE689M1JRWTA2**
63	82000	76x140	0.40	5,000.00	20.00	CCE829M1JRWTA4**
63	100000	76x140	0.50	5,000.00	20.10	CCE10AM1JRWTA4**
63	120000	90x140	0.60	5,000.00	21.80	CCE12AM1JRWTA4**
80	2200	35x50	0.15	3,520.00	2.40	CCE228M1KRWTQ50**
80	2700	35x50	0.15	4,320.00	2.70	CCE278M1KRWTQ50**
80	3300	35x50	0.15	5,000.00	3.00	CCE338M1KRWTQ50**
80	3900	35x60	0.15	5,000.00	3.40	CCE398M1KRWTQ60**
80	4700	35x60	0.15	5,000.00	3.70	CCE478M1KRWTQ60**
80	5600	35x80	0.15	5,000.00	4.50	CCE568M1KRWTQ80**
80	6800	35x80	0.15	5,000.00	4.90	CCE688M1KRWTQ80**
80	8200	35x100	0.20	5,000.00	5.10	CCE828M1KRWTQ1L**
80	10000	35x120	0.20	5,000.00	6.10	CCE109M1KRWTQA2**
80	12000	51x80	0.20	5,000.00	6.70	CCE129M1KRWTS80**
80	15000	51x100	0.20	5,000.00	8.30	CCE159M1KRWTS1L**
80	18000	51x120	0.20	5,000.00	9.90	CCE189M1KRWTA2**
80	22000	51x120	0.20	5,000.00	11.00	CCE229M1KRWTA2**
80	27000	63.5x100	0.25	5,000.00	11.40	CCE279M1KRWTT1L**
80	33000	76x100	0.25	5,000.00	13.90	CCE339M1KRWTU1L**
80	39000	76x100	0.30	5,000.00	14.00	CCE399M1KRWTU1L**
80	47000	76x120	0.30	5,000.00	16.50	CCE479M1KRWTA2**
80	56000	76x120	0.30	5,000.00	18.10	CCE569M1KRWTA2**
80	68000	76x140	0.35	5,000.00	19.70	CCE689M1KRWTA4**
80	82000	90x140	0.40	5,000.00	22.10	CCE829M1KRWTA4**
100	1800	35x50	0.10	3,600.00	2.70	CCE188M2ARWTQ50**
100	2200	35x50	0.10	4,400.00	3.00	CCE228M2ARWTQ50**
100	2700	35x60	0.10	5,000.00	3.50	CCE278M2ARWTQ60**
100	3300	35x80	0.10	5,000.00	4.20	CCE338M2ARWTQ80**
100	3900	35x80	0.12	5,000.00	4.20	CCE398M2ARWTQ80**
100	4700	35x100	0.12	5,000.00	5.00	CCE478M2ARWTQ1L**
100	5600	35x100	0.12	5,000.00	5.40	CCE568M2ARWTQ1L**
100	6800	35x120	0.15	5,000.00	5.80	CCE688M2ARWTQA2**
100	8200	51x80	0.15	5,000.00	6.40	CCE828M2ARWTS80**
100	10000	51x100	0.15	5,000.00	7.80	CCE109M2ARWTS1L**
100	12000	51x120	0.15	5,000.00	9.30	CCE129M2ARWTA2**
100	15000	51x120	0.15	5,000.00	10.40	CCE159M2ARWTA2**
100	18000	63.5x100	0.20	5,000.00	10.40	CCE189M2ARWTT1L**
100	22000	63.5x120	0.20	5,000.00	12.50	CCE229M2ARWTTA2**
100	27000	76x120	0.25	5,000.00	13.70	CCE279M2ARWTA2**
100	33000	76x120	0.25	5,000.00	15.20	CCE339M2ARWTA2**
100	39000	76x140	0.30	5,000.00	16.10	CCE399M2ARWTA4**
100	47000	90x140	0.30	5,000.00	19.30	CCE479M2ARWTA4**
100	56000	90x140	0.30	5,000.00	21.10	CCE569M2ARWTA4**
160	560	35x50	0.15	1,792.00	1.20	CCE567M2CRWTQ50**
160	680	35x50	0.15	2,176.00	1.30	CCE687M2CRWTQ50**
160	820	35x50	0.15	2,624.00	1.40	CCE827M2CRWTQ50**
160	1000	35x50	0.15	3,200.00	1.60	CCE108M2CRWTQ50**
160	1200	35x60	0.15	3,840.00	1.90	CCE128M2CRWTQ60**
160	1500	35x60	0.15	4,800.00	2.10	CCE158M2CRWTQ60**
160	1800	35x80	0.15	5,000.00	2.50	CCE188M2CRWTQ80**
160	2200	35x80	0.15	5,000.00	2.80	CCE228M2CRWTQ80**
160	2700	35x100	0.15	5,000.00	3.30	CCE278M2CRWTQ1L**
160	3300	35x120	0.15	5,000.00	3.80	CCE338M2CRWTQA2**
160	3900	51x80	0.20	5,000.00	3.80	CCE398M2CRWTS80**
160	4700	51x100	0.20	5,000.00	4.60	CCE478M2CRWTS1L**

160	5600	51x100	0.20	5,000.00	5.10	CCE568M2CRWTS1L**
160	6800	51x120	0.20	5,000.00	6.10	CCE688M2CRWTA2**
160	8200	63.5x100	0.20	5,000.00	7.00	CCE828M2CRWTT1L**
160	10000	63.5x120	0.20	5,000.00	8.40	CCE109M2CRWTTA2**
160	12000	76x100	0.20	5,000.00	9.40	CCE129M2CRWTU1L**
160	15000	76x120	0.20	5,000.00	11.40	CCE159M2CRWTUA2**
160	18000	76x140	0.20	5,000.00	13.40	CCE189M2CRWTUA4**
160	22000	90x140	0.25	5,000.00	14.50	CCE229M2CRWTXA4**
160	27000	90x140	0.25	5,000.00	16.00	CCE279M2CRWTXA4**
200	330	35x50	0.15	1,320.00	0.90	CCE337M2DRWTQ50**
200	390	35x50	0.15	1,560.00	1.00	CCE397M2DRWTQ50**
200	470	35x50	0.15	1,880.00	1.10	CCE477M2DRWTQ50**
200	560	35x50	0.15	2,240.00	1.20	CCE567M2DRWTQ50**
200	680	35x50	0.15	2,720.00	1.30	CCE687M2DRWTQ50**
200	820	35x50	0.15	3,280.00	1.40	CCE827M2DRWTQ50**
200	1000	35x60	0.15	4,000.00	1.70	CCE108M2DRWTQ60**
200	1200	35x60	0.15	4,800.00	1.90	CCE128M2DRWTQ60**
200	1500	35x80	0.15	5,000.00	2.30	CCE158M2DRWTQ80**
200	1800	35x80	0.15	5,000.00	2.50	CCE188M2DRWTQ80**
200	2200	35x100	0.15	5,000.00	3.00	CCE228M2DRWTQ1L**
200	2700	35x120	0.15	5,000.00	3.60	CCE278M2DRWTA2**
200	3300	51x80	0.15	5,000.00	4.10	CCE338M2DRWTS80**
200	3900	51x100	0.15	5,000.00	4.90	CCE398M2DRWTS1L**
200	4700	63.5x100	0.20	5,000.00	5.30	CCE478M2DRWTT1L**
200	5600	63.5x100	0.20	5,000.00	5.80	CCE568M2DRWTT1L**
200	6800	63.5x120	0.20	5,000.00	6.90	CCE688M2DRWTTA2**
200	8200	63.5x120	0.20	5,000.00	7.60	CCE828M2DRWTTA2**
200	10000	76x120	0.20	5,000.00	9.30	CCE109M2DRWTUA2**
200	12000	76x120	0.20	5,000.00	10.20	CCE129M2DRWTUA2**
200	15000	76x140	0.20	5,000.00	12.20	CCE159M2DRWTUA4**
200	18000	90x140	0.25	5,000.00	13.10	CCE189M2DRWTXA4**
250	330	35x50	0.15	1,650.00	0.90	CCE337M2ERWTQ50**
250	390	35x50	0.15	1,950.00	1.00	CCE397M2ERWTQ50**
250	470	35x50	0.15	2,350.00	1.10	CCE477M2ERWTQ50**
250	560	35x50	0.15	2,800.00	1.20	CCE567M2ERWTQ50**
250	680	35x60	0.15	3,400.00	1.40	CCE687M2ERWTQ60**
250	820	35x80	0.15	4,100.00	1.60	CCE827M2ERWTQ80**
250	1000	35x80	0.20	5,000.00	1.70	CCE108M2ERWTQ80**
250	1200	35x80	0.20	5,000.00	1.80	CCE128M2ERWTQ80**
250	1500	35x100	0.20	5,000.00	2.10	CCE158M2ERWTQ1L**
250	1800	35x120	0.20	5,000.00	2.50	CCE188M2ERWTA2**
250	2200	51x80	0.20	5,000.00	2.90	CCE228M2ERWTS80**
250	2700	51x100	0.20	5,000.00	3.50	CCE278M2ERWTS1L**
250	3300	51x120	0.20	5,000.00	4.20	CCE338M2ERWTA2**
250	3900	51x120	0.20	5,000.00	4.60	CCE398M2ERWTA2**
250	4700	63.5x120	0.20	5,000.00	5.70	CCE478M2ERWTTA2**
250	5600	63.5x120	0.20	5,000.00	6.30	CCE568M2ERWTTA2**
250	6800	76x120	0.20	5,000.00	7.70	CCE688M2ERWTUA2**
250	8200	76x120	0.20	5,000.00	8.40	CCE828M2ERWTUA2**
250	10000	76x140	0.20	5,000.00	10.00	CCE109M2ERWTUA4**
250	12000	90x140	0.20	5,000.00	11.90	CCE129M2ERWTXA4**
350	180	35x50	0.10	1,260.00	0.80	CCE187M2VRWTQ50**
350	220	35x50	0.10	1,540.00	0.90	CCE227M2VRWTQ50**
350	270	35x50	0.10	1,890.00	1.00	CCE277M2VRWTQ50**
350	330	35x50	0.10	2,310.00	1.10	CCE337M2VRWTQ50**
350	390	35x60	0.10	2,730.00	1.30	CCE397M2VRWTQ60**
350	470	35x60	0.10	3,290.00	1.40	CCE477M2VRWTQ60**
350	560	35x80	0.10	3,920.00	1.60	CCE567M2VRWTQ80**
350	680	35x80	0.15	4,760.00	1.65	CCE687M2VRWTQ80**
350	820	35x100	0.15	5,000.00	1.80	CCE827M2VRWTQ1L**
350	1000	35x120	0.15	5,000.00	2.20	CCE108M2VRWTA2**
350	1200	51x80	0.15	5,000.00	2.40	CCE128M2VRWTS80**
350	1500	51x100	0.15	5,000.00	3.00	CCE158M2VRWTS1L**
350	1800	51x120	0.15	5,000.00	3.60	CCE188M2VRWTA2**
350	2200	51x120	0.15	5,000.00	4.00	CCE228M2VRWTA2**
350	2700	63.5x100	0.15	5,000.00	4.60	CCE278M2VRWTT1L**

350	3900	76x120	0.15	5,000.00	6.70	CCE398M2VRWUA2**
350	6800	76x140	0.15	5,000.00	9.50	CCE688M2VRWUA4**
350	8200	90x140	0.15	5,000.00	11.40	CCE828M2VRWUA4**
400	180	35x50	0.10	1,440.00	0.80	CCE187M2GRWTQ50**
400	220	35x50	0.10	1,760.00	0.90	CCE227M2GRWTQ50**
400	270	35x50	0.10	2,160.00	1.00	CCE277M2GRWTQ50**
400	330	35x60	0.10	2,640.00	1.20	CCE337M2GRWTQ60**
400	390	35x60	0.10	3,120.00	1.30	CCE397M2GRWTQ60**
400	470	35x80	0.10	3,760.00	1.40	CCE477M2GRWTQ80**
400	560	35x80	0.15	4,480.00	1.45	CCE567M2GRWTQ80**
400	680	35x100	0.15	5,000.00	1.70	CCE687M2GRWTQ1L**
400	820	35x120	0.15	5,000.00	2.00	CCE827M2GRWTQA2**
400	1000	51x80	0.15	5,000.00	2.20	CCE108M2GRWTS80**
400	1200	51x100	0.15	5,000.00	2.70	CCE128M2GRWTS1L**
400	1500	51x120	0.15	5,000.00	3.30	CCE158M2GRWTA2**
400	2200	63.5x100	0.15	5,000.00	4.20	CCE228M2GRWTT1L**
400	3300	63.5x120	0.15	5,000.00	5.50	CCE338M2GRWTTA2**
400	5600	90x140	0.15	5,000.00	9.40	CCE568M2GRWTA4**
400	6800	90x140	0.15	5,000.00	10.40	CCE688M2GRWTA4**
450	470	51x80	0.15	4,230.00	1.40	CCE477M2WRWTS80**
450	680	51x80	0.15	5,000.00	1.60	CCE687M2WRWTS80**
450	1000	51x80	0.15	5,000.00	1.80	CCE108M2WRWTS80**
450	1500	51x115	0.15	5,000.00	3.50	CCE158M2WRWTS2A**
450	2200	63.5x115	0.15	5,000.00	5.00	CCE228M2WRWTT2A**
450	2700	76x100	0.15	5,000.00	5.80	CCE278M2WRWTT1L**
450	3300	76x100	0.15	5,000.00	6.50	CCE338M2WRWTT1L**
450	4700	76x130	0.15	5,000.00	8.00	CCE478M2WRWTT2C**
450	5600	76x155	0.15	5,000.00	9.00	CCE568M2WRWTTA2**
450	6800	90x155	0.15	5,000.00	10.50	CCE688M2WRWTTA2**
450	8200	90x195	0.15	5,000.00	13.00	CCE828M2WRWTTA2**
450	10000	90x195	0.15	5,000.00	14.00	CCE109M2WRWTTA2**
450	12000	90x230	0.15	5,000.00	15.70	CCE129M2WRWTTB3**
450	15000	90x250	0.15	5,000.00	18.20	CCE159M2WRWTTB5**
500	330	51x80	0.15	3,300.00	1.10	CCE337M2HRWTS80**
500	470	51x80	0.15	4,700.00	1.30	CCE477M2HRWTS80**
500	680	51x105	0.15	5,000.00	1.80	CCE687M2HRWTS2J**
500	1000	51x115	0.15	5,000.00	2.10	CCE108M2HRWTS2A**
500	1500	63.5x115	0.15	5,000.00	3.00	CCE158M2HRWTT2A**
500	2200	63.5x130	0.15	5,000.00	3.70	CCE228M2HRWTT2C**
500	2700	76x115	0.15	5,000.00	4.40	CCE278M2HRWTT2A**
500	3300	76x155	0.15	5,000.00	5.20	CCE338M2HRWTTA2**
500	3900	76x155	0.15	5,000.00	5.80	CCE398M2HRWTTA2**
500	4700	90x155	0.15	5,000.00	6.90	CCE478M2HRWTTA2**
500	5600	90x155	0.15	5,000.00	7.20	CCE568M2HRWTTA2**
500	6800	90x170	0.15	5,000.00	8.30	CCE688M2HRWTTA7**
500	10000	90x250	0.15	5,000.00	12.00	CCE109M2HRWTTB5**

Remark:

1)Specification are subject to change without notice should a safety or technical concern arise regarding the product , please be sure to contact our sales offices ;

2)The sizes in the above table are all general specifications. If you need other specifications,please contact us.

3)"\*\*"indicates packaging method